

Simplist[®]

Ready-to-administer prefilled syringes

Product Catalog



Diazepam Injection, USP



○ 10 mg per 2 mL NDC 76045-204-20


Dilaudid[®] (HYDROMORPHONE Hydrochloride) Injection, USP



● 0.2 mg per 1 mL NDC 76045-121-11



● 0.5 mg per 0.5 mL NDC 76045-009-06



● 1 mg per 1 mL NDC 76045-009-11



● 2 mg per 1 mL NDC 76045-010-11

Fentanyl Citrate Injection, USP



● 50 mcg per 1 mL NDC 63323-808-11



● 100 mcg per 2 mL NDC 63323-810-20

Midazolam Injection, USP



● 2 mg per 2 mL NDC 76045-001-20

Morphine Sulfate Injection, USP



● 2 mg per 1 mL NDC 76045-004-11



● 4 mg per 1 mL NDC 76045-005-11

Please see full Prescribing Information including Boxed Warnings for Diazepam Injection, USP; Dilaudid[®] (HYDROMORPHONE HCl) Injection, USP; Fentanyl Citrate Injection, USP; Ketorolac Tromethamine Injection, USP; Midazolam Injection, USP; and Morphine Sulfate Injection, USP at www.fresenius-kabi.com/us.

All NDC codes listed are Unit of Sale NDC Numbers (PK).

Adenosine Injection, USP



● 6 mg per 2 mL NDC 63323-651-89



● 12 mg per 4 mL NDC 63323-651-90

Dexamethasone Sodium Phosphate Injection, USP



● 4 mg per 1 mL NDC 76045-106-10



● 10 mg per 1 mL NDC 76045-109-10

DiphenhydrAMINE HCl Injection, USP



● 50 mg per 1 mL NDC 76045-102-10

Glycopyrrolate Injection, USP



○ 0.2 mg per 1 mL NDC 76045-203-10



● 0.4 mg per 2 mL NDC 76045-203-20



○ 0.6 mg per 3 mL NDC 76045-023-30

Heparin Sodium Injection, USP



● 5,000 USP units per 0.5 mL NDC 63323-118-05




● 5,000 USP units per 1 mL NDC 76045-108-10

Ketorolac Tromethamine Injection, USP



○ 30 mg per 1 mL NDC 76045-104-10



○ 60 mg per 2 mL NDC 76045-105-20

Neostigmine Methylsulfate Injection, USP



● 3 mg per 3 mL NDC 76045-383-30

Ondansetron Injection, USP



● 4 mg per 2 mL NDC 76045-103-20

Palonosetron Hydrochloride Injection



● 0.25 mg per 5 mL NDC 63323-673-89

All NDC codes listed are Unit of Sale NDC Numbers (PK).

Opening MicroVault[®] packaging



STEP 1
Inspect outer packaging.
Check expiration date.
Check that you have the right drug and the right dose.



STEP 2
Open at the perforated line.
Hold tube and cap upright at a 45-degree angle.
Twist to open until seal is broken.



STEP 3
Pull cap straight away from tube.



STEP 4
Visually inspect the syringe prior to administration.

Simplist[®] syringe use



STEP 1
Twist off the syringe tip cap.
Helpful hint: Before removing the cap, priming the syringe may be easier if you push the plunger rod forward with the tip cap on in order to break the seal.



STEP 2
Prime the syringe by expelling the air bubble.
Adjust the dose if applicable.



STEP 3
Administer dose. Do not leave syringe unattended. Discard syringe into appropriate receptacle.
Helpful hint: If clinically appropriate, according to the package insert, attach a needle per institutional guidelines.

Simplist[®]

Ready-to-administer prefilled syringes

- Manufacturer prepared
- Single-unit dose
- 24- or 36-month shelf life
- cGMP + FDA-approved
- Clear and distinct labeling

To place an order, contact your Sales Representative
or call Customer Service at 1.888.386.1300.

Learn more at **www.simplist-us.com**